

Computer Programming

Programming Assignment #2.1, 2012

Brief:

You are to write a program which enables the computer to function as a bar code reading cash register.

Summary:

The program will use two text arrays in parallel with one numeric array. One array will store the barcode, one the descriptions, one the prices. The program will repeatedly loop until instructed to exit. A screen object will be used to facilitate attractive output. Valid commands are:

- X – Exit
- N – New Sale
- A barcode*
- E – End of Sale
- V – Void last Code

Remember that this program varies only in degree and detail from programs you have already created; essentially, it contains nothing new.

Sample data from the three arrays are saved in our file as shown here...

Array Element Number	Array 1 - Price	Array 2 - Code	Array 3 – Product Description
0	0.75	3068320014067	Evian 0.75L
1	0.99	4975769310331	700MB CD Single
2	2.25	5391511560462	Vanilla Candles
3	1.95	5099874080336	Small Sandwich Bags
...

...where the table columns represent the arrays.

You'll probably also want to create a pair of 'receipt' arrays to store the descriptions and prices of scanned products in order to be able to generate a sales receipt.

In essence the purpose of this assignment is to create a loop that continually reads bar codes and matches the code with a database entry. Each correctly recognised code will yield a description and price. (The description and price should be put in the 'receipt' arrays for later processing and printing).

The prices will be totalled so that at the end of the sale a Total Amount Due is available to charge the customer.

Draft: 20120404 (14:43)

After a sale is complete, the program should print the receipt and total due before zeroing (initializing) all internal counters and remain waiting for another sale to commence.

At any point, if a bar code is read which is not in the database, the program should beep and display an error message on screen; no further action need be taken in the case of the unrecognised code, except to return to the waiting loop.

At any point keyboard input may be made as above:

- X – Drop everything and terminate the program immediately.
- E – End the barcode reading session, print a receipt with an amount due on it.
- V – Remove the last product from the receipt, and it's price from the total due.

This methodology of accepting a barcode or a command code is the same as accepting a name or a 'q' to quit in previous programs: just with more options. Think about how (if at all) you use the *else*.

Database of products:

There will be a file containing a database of products. This is pre-created enabling you to copy it in to your folder and use it. It is in this document as well as on the subject webpage. This is a flat file database, as you have dealt with previously.

Cancellation:

In the event of a last barcode being cancelled, reduce by one the counter that is tracking your progress in the sale (and subtract the last added value). This means that there is no real deletion, rather that unwanted data is overwritten.

Presentation:

Marks are awarded for attractive presentation both of the screen output (*e.g.* use ANSI screen codes) and the source code. Code indentation is *vital* as is commenting of the code. An authorship section should be included at the top of the program.

Submission Mechanism:

By paper via the submission box in room 15, and by e-mail (**details to be announced**). Don't forget the 'My Own Work' form as a cover page. Ensure you have at least:

- Cover sheet ('My Own Work')
- Flow chart (Read the programming website for information).
- Source code (The perl program, printed)
- Sample data used (A screen capture of the program in operation)
- Other screen capture(s) as required
- Photograph of you using the barcode scanner with your program
- Video of you demonstrating the program
- Any other relevant supporting materials

Due Date:

2012----, 15:15

Draft: 20120404 (14:43)

NOTE: The perl Term::Screen library is installed on the server and is required for this project.

Starting Sample Data:

Sample Data Used In Assignment #2.1

0.95:3068320014067:Evian 0.75L
6.99:5016676012167:DVD-R 5's
1.95:5099874080336:Small Sandwich Bags
2.99:4005808820610:Hand Cream 75ml
3.59:5000158065284:Gaviscon 150ml
12.52:9780596000325:Perl Programming
8.75:7315880032267:Thorsman Cable Nail
2.25:5391511560462:Vanilla Candles
2.00:9770791688077:Sunday Independent
9.99:5703976138993:Popular Classics CD
4.49:8470006695494:Cod-Efferelgan
45.50:8713439143485:650W Power Supply
12.35:5099442003613:Glucosamine Tablets
5.48:5000158062191:CODIS
0.99:4975769310331:700MB CD Single
19.95:3253560670818:Screwdriver Set

Senior
College
Clonmel

20120126 – Sample Barcodes, Assignment #2.1, 2012



50 Small Sandwich Bags



650W Power Supply



700MB CD



Atrixo Hand Cream 75ml



Codis



DVD-R 5-pack



Cod Efferelgan



Evian 0.5L Mineral Water

 5 000 158 065 284 Gaviscon Anti-Acid 150ml	 5 099 442 003 613 Glucosamine Tablets
 9 780 596 000 325 Perl Programming Reference	 5 703 976 138 993 Popular Classics
 3 253 560 670 818 Screwdriver Set	 9 770 791 688 077 Sunday Independent
 7 315 880 032 267 Thorsman 2x25 Cable Nail	 5 391 511 560 462 Vanilla Candles

Clonmel